

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

Listing of Claims

1. (Currently Amended) A method of verifying the identity of a registered user, the method comprising:

(a) obtaining a list of at least two identity verifiers, each identity verifier to be used for no more than one transaction;

(b) linking the list of identity verifiers ~~on the list~~ to at least one unique numerical identifier wherein the unique numerical identifier is associated with the registered user, the registered user selected from a group consisting of persons and entities;

(c) providing the list of identity verifiers to the registered user;

~~(e)~~(d) receiving a numerical identifier from a requesting party, the requesting party having obtained the numerical identifier from a transaction initiator claiming to be associated with the numerical identifier;

~~(d)~~(e) receiving an identity verifier from ~~a the~~ requesting party, the requesting party having obtained the identity verifier from the transaction initiator claiming to be associated with the numerical identifier;

~~(e)~~(f) determining whether the received identity verifier is within the list of identity verifiers linked to the received numerical identifier; and

~~(f)~~(g) communicating information to the requesting party indicating whether the received identity verifier is within the list of identity verifiers linked to the received numerical identifier.

2. (Previously Presented) The method of claim 1 wherein the communicating information step signals that the received identity verifier has not been used before and is within the list of identity verifiers linked to the received numerical identifier by sending a verification transaction identifier to the requesting party.

3. (Currently Amended) The method of claim 1 further comprising ~~the steps of~~:
 - (a) determining whether the identity verifier received from the requesting party has been used before; and
 - (b) communicating information to the requesting party signaling whether the identity verifier has been used before.
4. (Currently Amended) The method of claim 2 further comprising ~~the step of~~ archiving the identity verifier and the verification transaction identifier.
5. (Currently Amended) The method of claim 1 further comprising ~~the steps of~~:
 - (a) storing public information about the registered user whose identity is to be verified;
 - (b) creating at least two categories of requesting parties;
 - (c) receiving instructions from the registered user regarding what public information is allowed to be released to each of the at least two categories of requesting party;
 - (d) determining the category of the requesting party;
 - (e) communicating the appropriate public information to the requesting party pursuant to the instructions from the registered user.
6. (Original) The method of claim 1 wherein the at least one numerical identifier is a social security number.
7. (Original) The method of claim 1 wherein the at least one numerical identifier is a drivers license number.
8. (Original) The method of claim 1 wherein the at least one numerical identifier is a bank account number.
9. (Original) The method of claim 1 wherein the at least one numerical identifier is a phone number.

10. (Original) The method of claim 1 wherein the at least one numerical identifier is a credit card number.

11. (Currently Amended) The method of claim 1 further ~~comprising~~ comprising receiving a uniqueness suffix and wherein ~~the determining step determining whether the received identity verifier is within the list of identity verifiers linked to the received numerical identifier further~~ comprises determining whether the received identity verifier is within the list of identity verifiers linked to the received numerical identifier and the received uniqueness suffix.

12. (Currently Amended) The method of claim 1 wherein ~~the steps of~~ receiving a numerical identifier, receiving an identity verifier and communicating information to the requesting party are performed by voice communications over a phone line.

13. (Currently Amended) The method of claim 1 wherein ~~the steps of~~ receiving a numerical identifier, receiving an identity verifier and communicating information to the requesting party are performed through electronic communication through a wide area network.

14. (Currently Amended) A method of determining whether an identity verifier is required to be submitted in a particular transaction, the method ~~comprising the steps of~~:

(a) obtaining a list of at least two identity verifiers, each identity verifier to be used for no more than one transaction;

(b) linking the list of identity verifiers to at least one unique numerical identifier wherein the numerical identifier is associated with a registered user selected from a group consisting of persons and entities;

(c) creating categories of transactions;

(d) receiving instructions from the registered user designating the categories of transactions that require an identity verifier and designating the categories of transactions that do not require an identity verifier;

(e) receiving a numerical identifier from a requesting party, the requesting party having obtained the numerical identifier from a transaction initiator claiming to be associated with the numerical identifier;

- (f) receiving information from the requesting party specifying the type of transaction occurring;
- (g) determining whether the transaction requires the use of an identity verifier; and
- (h) communicating information to the requesting party wherein the information communicated indicates whether an identity verifier is required for the specified transaction.

15. (Currently Amended) An identity verification system for verifying the identity of a registered user, the system comprising:

- (a) a database for storing information pertaining to a the registered user selected from a group consisting of persons and entities, wherein the database is configured to receive at least one unique numerical identifier associated with the registered user and at least two identification verifiers associated with the registered user, each identification verifier to be used for no more than one transaction;

- (b) an input module for inputting at least one numerical identifier associated with a the registered user and at least two identification verifiers associated with a the registered user into the database so that the at least one numerical identifier is linked to the at least two identification verifiers;

- (c) a communications module for two way communications for receiving a numerical identifier and an identification verifier from a requesting party, the requesting party having obtained the numerical identifier and the identification verifier from a transaction initiator claiming to be associated with the numerical identifier, and for communicating a message to the requesting party relating to whether the received identification verifier is one of the identification verifiers linked to the received numerical identifier and if the identification verifier has been used before;

- (d) a processor module for comparing the numerical identifier and identification verifier received by the communications module with the information in the database to determine whether the received identification verifier is one of the identification verifiers linked to the received numerical identifier and if the identification verifier has been used before.

16. (Original) The identity verification system of claim 15 wherein the database and the processor module are contained within a single computer.

17. (Previously Presented) The identity verification system of claim 15 wherein the input module is a keyboard.

18. (Previously Presented) The identity verification system of claim 15 wherein the communications module is a serial port and a modem.

19. (Previously Presented) The identity verification system of claim 15 wherein the communications module is a network adapter.

20. (Currently Amended) A remote terminal for communicating with an identity verification system, the remote terminal comprising:

- (a) an input module for inputting a numerical identifier and an identification verifier;
- (b) a communications module for sending the numerical identifier input with the input module and the identification verifier input with the input module to a remotely located system storing a plurality of numerical identifiers and at least two identity verifiers linked with each numerical identifier, and for receiving a message from the remotely located system indicating whether the numerical identifier input with the input module is linked to the identification verifier input with the input module, and whether the identification verifier has been used before, the communications module also configured to receive from the remotely located system a verification transaction identifier and a security message linked with the identification verifier, the security message provided by the registered user; and

- (c) an output module for reporting the messages received by the communications module from the remote system;

wherein each numerical identifier stored by the remotely located system is associated with a registered user selected from a group consisting of persons and entities-~~entites~~.

21. (Original) The remote terminal of claim 20 wherein the input module comprises a keypad.

22. (Original) The remote terminal of claim 20 wherein the input module comprises a keypad and a magnetic card reader wherein the magnetic card reader receives the numerical identifier and the keypad receives the identification verifier.

23. (Previously Presented) The remote terminal of claim 20 wherein the output module comprises a display screen.

24. (Previously Presented) The remote terminal of claim 20 wherein the output module comprises a monitor.

25. (Previously Presented) A computer program storage medium readable by a computing system and encoding a computer program of instructions for executing a computer process for verifying the identity of a registered user, the computer process comprising:

(a) storing at least two identity verifiers in a database, each identity verifier to be used for no more than one transaction;

(b) storing at least one unique numerical identifier associated with the registered user in a database, wherein the at least two identity verifiers are linked to the at least one numerical identifier, the registered user selected from a group consisting of persons and entities;

(c) receiving a numerical identifier;

(d) receiving an identity verifier;

(e) comparing the received numerical identifier and received identity verifier to the stored numerical identifier and stored identity verifiers to determine whether the received identity verifier is one of the identity verifiers linked to the received numerical identifier; and

(f) communicating information to the requesting party indicating whether the received identity verifier is one of the identity verifiers linked to the received numerical identifier, and whether the identity verifier has been used before.

26. (Currently Amended) A method of verifying the identity of a registered user, the method comprising:

(a) obtaining a list of at least two identity verifiers, each identity verifier to be used for no more than one transaction;

(b) linking the list of identity verifiers ~~on the list~~ to at least one unique numerical identifier wherein the unique numerical identifier is associated with the registered user;

(c) providing the list of identity verifiers to the registered user;

~~(e)~~(d) receiving a numerical identifier from a requesting party, the requesting party having obtained the numerical identifier from a transaction initiator claiming to be associated with the numerical identifier;

~~(d)~~(e) receiving an identity verifier from a requesting party, the requesting party having obtained the identity verifier from the transaction initiator claiming to be associated with the numerical identifier;

~~(e)~~(f) determining whether the received identity verifier is within the list of identity verifiers linked to the received numerical identifier;

~~(f)~~(g) communicating information to the requesting party indicating whether the received identity verifier is within the list of identity verifiers linked to the received numerical identifier;

~~(g)~~(h) determining whether the identity verifier received from the requesting party has been used before; and

~~(h)~~(i) communicating information to the requesting party signaling whether the identity verifier has been used before.